

211/2014

- Which one of the following amino acids is optically inactive ?  
(A) Alanine            (B) Glycine            (C) Valine            (D) Leucine
- Which one of the following bases is not present in RNA ?  
(A) Adenine            (B) Guanine            (C) Thymine            (D) Uracil
- Name the alkaloid present in the poisonous herb hemlock.  
(A) Coniine            (B) Nicotine            (C) Quinine            (D) Piperine
- How many proton signals would be expected in NMR spectrum of  $\text{BrCH}_2\text{CH}_2\text{Br}$  ?  
(A) 4                    (B) 8                    (C) 1                    (D) 2
- Shift of the absorption maximum to the longer wavelength is called :  
(A) Hypsochromic shift                    (B) Hyperchromic shift  
(C) Hypochromic shift                    (D) Bathochromic shift
- Select the azo-dye :  
(A) Indigo                    (B) Methyl orange  
(C) Malachite green                    (D) Phenolphthalein
- Which one of the following decays takes place in phosphorescence ?  
(A)  $S_1 \rightarrow S_0$             (B)  $T_1 \rightarrow S_0$             (C)  $T_2 \rightarrow T_1$             (D)  $S_2 \rightarrow S_1$
- Drugs which lower the body temperature in feverish conditions are called :  
(A) Antibiotics            (B) Analgesics            (C) Antipyretics            (D) Antimalarials
- Metal present in Vitamin  $B_{12}$  is :  
(A) Zn                    (B) Cu                    (C) Mg                    (D) Co

10. Compound which is used as a fixer in photography is :  
(A) Sodium thiosulphate (B) Sodium acetate  
(C) Sodium carbonate (D) Sodium phosphate
11. The most abundant inert gas in the atmosphere is :  
(A) He (B) Ar (C) Kr (D) Ne
12. The combustible material on the tip of safety matchstick is :  
(A) Antimony phosphate (B) Antimony sulphide  
(C) Lead nitrite (D) Lead phosphate
13. The chief constituent of gobar gas is :  
(A) Hydrogen (B)  $\text{CO}_2$  (C) Methane (D) Ethane
14. The sulphide ores of metal are concentrated by :  
(A) Mond's process (B) Froth floatation method  
(C) Calcination (D) Magnetic method
15. The metal that is used as a catalyst in the hydrogenation of oil is :  
(A) Ni (B) Cr (C) Sn (D) Pb
16. The gas responsible for Bhopal tragedy in 1984 was :  
(A) Ethyl cyanide (B) Cynogen  
(C) Phosgene (D) Methyl isocyanate
17. The main cause of the energy radiation from the sun is :  
(A) Nuclear fission (B) Nuclear fusion (C) Transmutation (D) Stark effect
18. The number of radial nodes in 3s orbital is :  
(A) Zero (B) One (C) Two (D) Three

19. The bond order of  $O_2$  molecule is :  
(A) 0 (B) 1 (C) 3 (D) 2
20. 1 nanometer is :  
(A)  $10^{-8}m$  (B)  $10^{-9}m$  (C)  $10^{-7}m$  (D)  $10^{-10}m$
21. Emission of electrons from metal surfaces on exposure to radiation is called :  
(A) Radioactivity (B) Compton effect  
(C) Photoelectric effect (D) Zeeman effect
22. Quantum Theory of Radiation was put forward by :  
(A) Max Planck (B) Maxwell (C) Bohr (D) De Broglie
23.  ${}_{18}Ar^{40}$  and  ${}_{19}K^{40}$  are examples of :  
(A) Isotopes (B) Isotones (C) Isomers (D) Isobars
24. Expression for average translational kinetic energy of an ideal gas/mole is :  
(A)  $\frac{1}{2} RT$  (B)  $\frac{3}{2} RT$  (C)  $\frac{3}{2} KT$  (D)  $\frac{1}{2} KT$
25. Number of vibrational degrees of freedom of  $CO_2$  molecule is :  
(A) 4 (B) 3 (C) 5 (D) 1
26. The number of d-electrons retained in  $Fe^{3+}$  (At. no. Fe : 26) :  
(A) 6 (B) 3 (C) 4 (D) 5
27. Which of the following has high electron affinity ?  
(A) Flourine (B) Chlorine (C) Nitrogen (D) Oxygen

28. Which one of the following is para magnetic ?  
(A)  $N_2$                       (B) CO                      (C) NO                      (D)  $O_3$
29. The sugar which is present in milk is :  
(A) Lactose                      (B) Galactose                      (C) Glucose                      (D) Maltose
30. The Brown Ring test is used for the detection of :  
(A) Sulphate                      (B) Phosphate                      (C) Nitrate                      (D) Acetate
31. What is the Hybridisation of carbon in the singlet state of carbene ?  
(A) sp                      (B)  $sp^2$                       (C)  $sp^3$                       (D) dsp<sup>2</sup>
32. Diels-Alder reaction is an example for \_\_\_\_\_ cyclo addition.  
(A) (3+2)                      (B) (2+2)                      (C) (4+4)                      (D) (4+2)
33. A peptide bond is :  
(A) -CO-NH-                      (B) -CO-NH<sub>2</sub>-                      (C) -CO-NHO-                      (D) -CHO-NH-
34. Sugar when reacted with conc.  $H_2SO_4$  gives :  
(A) Mannitol                      (B) Hydrogen                      (C) Carbon                      (D) Sucrose
35. Number of isoprene units in Diterpenoids is :  
(A) 1                      (B) 2                      (C) 3                      (D) 4
36. For soft soaps \_\_\_\_\_ is used.  
(A)  $NH_4OH$                       (B) NaOH                      (C) KOH                      (D)  $Ca(OH)_2$

37. Real gases deviate from ideal behaviour at conditions of :
- (A) Low pressure and high temperature  
 (B) High pressure and high temperature  
 (C) Low pressure and low temperature  
 (D) High pressure and low temperature
38. The number of atoms contained within a face centered cubic unit cell is :
- (A) 1                      (B) 8                      (C) 4                      (D) 2
39. To which point group  $H_2O$  belongs ?
- (A)  $C_{3v}$                       (B)  $C_{2h}$                       (C)  $C_{2v}$                       (D)  $D_{2h}$
40. Select the ferrimagnetic substance.
- (A)  $Fe_3O_4$                       (B)  $MnO$                       (C)  $ClO_2$                       (D)  $CrO_2$
41. Which is true about chemisorption ?
- (A) It is irreversible                      (B) It is specific in nature  
 (C) Only monolayer adsorption                      (D) All the above
42. How many number of molecules are present in 22.414 litres of hydrogen at STP ?
- (A) 22.4                      (B)  $22.4 \times 6.022 \times 10^{23}$   
 (C)  $6.022 \times 10^{23}$                       (D)  $2 \times 6.022 \times 10^{23}$
43. A property which progressively increases down a group in the periodic table is :
- (A) Ionisation potential                      (B) Strength as a reducing agent  
 (C) Electron affinity                      (D) Electronegativity
44. Which of the following elements is a metalloid ?
- (A) Sodium                      (B) Cobalt                      (C) Antimony                      (D) Tellurium

45. Hybridization of Be in  $\text{BeCl}_2$  is :  
(A) sp                      (B)  $\text{sp}^2$                       (C)  $\text{sp}^3$                       (D)  $\text{dsp}^2$
46. The heat change in a chemical reaction at constant pressure is :  
(A)  $\Delta E$                       (B)  $\Delta H$                       (C)  $P\Delta V$                       (D)  $\Delta P$
47. The pH of an aqueous solution is 5.2. Its pOH will be :  
(A) 5.8                      (B) 6.8                      (C) 7.8                      (D) 8.8
48. Which of the following is true at equilibrium ?  
(A) Reactants and products are present in equal amounts  
(B) Rates of the forward and backward reactions are equal  
(C) Rates of the forward and backward reactions are zero  
(D) None of these
49. An acid buffer can be prepared by mixing solutions of :  
(A) NaOH and HCl                      (B)  $\text{H}_2\text{SO}_4$  and  $\text{Na}_2\text{SO}_4$   
(C)  $\text{CH}_3\text{COONa}$  and  $\text{CH}_3\text{COOH}$                       (D)  $\text{NH}_4\text{Cl}$  and  $\text{NH}_4\text{OH}$
50. Which of the following is a peptide hormone ?  
(A) Insulin                      (B) Adrenaline                      (C) Thyroxine                      (D) Testosterone
51. Which is a disaccharide ?  
(A) Glucose                      (B) Raffinose                      (C) Sucrose                      (D) Starch
52. The central metal ion in chlorophyll is :  
(A)  $\text{Zn}^{2+}$                       (B)  $\text{Cr}^{2+}$                       (C)  $\text{Fe}^{2+}$                       (D)  $\text{Mg}^{2+}$
53. Which is not a sweetening agent ?  
(A) Saccharin                      (B) Cyclamate                      (C) Lecithin                      (D) Aspartame

54. Pyrimidine contains \_\_\_\_\_ nitrogen atoms.  
(A) 1 (B) 2 (C) 0 (D) 3
55. pH of blood is in the range :  
(A) 7.35 – 7.45 (B) 6.35 – 7.4 (C) 6.55 – 8.35 (D) 8.25 – 8.65
56. The increasing accumulation of insecticides in higher organism is called :  
(A) Bio-cumulation (B) Bio-persistence  
(C) Bio-concentration (D) Bio-accumulation
57. Radioactive decay follows \_\_\_\_\_ equation.  
(A) Zero order (B) First order (C) Second order (D) Third order
58. Mixture of conc. HCl and anhydrous  $ZnCl_2$  is known as :  
(A) Schiff's reagent (B) Lucas reagent  
(C) Baeyer's reagent (D) Victor Meyer's reagent
59. In metallic conductors the electricity is carried by the movement of :  
(A) Ions (B) Atoms (C) Molecules (D) Electrons
60. In order to discharge 1 mole of  $Al^{3+}$  ion in electrolysis the quantity of electricity required is :  
(A) 1 Faraday (B) 2 Faraday (C) 3 Faraday (D)  $\frac{1}{3}$  Faraday
61. Baking soda is :  
(A)  $NaHCO_3$  (B)  $Na_2CO_3$  (C)  $Na_2SO_4$  (D)  $K_2CO_3$
62. Flame test is not given by :  
(A) Ca (B) Be (C) Sr (D) Ba

63. Nitrolim is :  
(A)  $\text{CaCN}_2$  (B)  $\text{Ca}(\text{NO}_3)_2$  (C)  $\text{Ca}(\text{CN})_2$  (D)  $\text{CaCN}_2$  and C
64. Which of the following hydride is electron deficient molecule ?  
(A)  $\text{C}_2\text{H}_6$  (B) NaH  
(C)  $\text{B}_2\text{H}_6$  (D) None of the above
65. Cryolite is chemically :  
(A) Sodium aluminium fluoride (B) Magnesium silicate  
(C) Calcium magnesium carbonate (D) Sodium borofluoride
66. The site of oxidation in an electrochemical cell is :  
(A) Cathode (B) Anode (C) Solvent (D) None
67. Which of the following can be used to measure pH ?  
(A) Glass electrode (B) Hydrogen electrode  
(C) Concentration cell (D) All the above
68. A first order reaction requires 12 months for the concentration of the reactant to be reduced to 25% of its original value. Its half life is :  
(A) 6 months (B) 12 months (C) 18 months (D) 24 months
69. Which is more effective in coagulating a negative solution ?  
(A)  $\text{Na}^+$  (B)  $\text{Ba}^{2+}$  (C)  $\text{Al}^{3+}$  (D) All same
70. The phase rule can be expressed mathematically as :  
(A)  $F + P = C + 2$  (B)  $F = C - P + 2$  (C)  $P = C - F + 2$  (D) All
71. Zeolites are used as :  
(A) Building materials (B) Germs  
(C) Pigments (D) Ion exchangers



72. Two wave functions  $\psi_n$  and  $\psi_m$  are orthogonal if :
- (A)  $\int \psi_n \psi_m d\tau = 1$  (B)  $\int \psi_n \psi_m d\tau = 0$  (C)  $\int \psi_n^2 \psi_m^2 d\tau = 1$  (D)  $\int \psi_n^2 \psi_m^2 d\tau = 0$
73. The work done during the expansion of 1 mole of an ideal gas against a constant external pressure of 1 atm from a volume of 10 dm<sup>3</sup> to a volume of 30 dm<sup>3</sup> is :
- (A) 80 dm<sup>3</sup> atm (B) 40 dm<sup>3</sup> atm (C) 20 dm<sup>3</sup> atm (D) 60 dm<sup>3</sup> atm
74. The expression for energy of the particle in a one dimensional box is :
- (A)  $n^2 h^2 / 8ma^2$  (B)  $n^2 / 8hm^2 a^2$  (C)  $nh / 4m^2 a^2$  (D)  $n^2 h^2 / 4m^2 a^3$
75. The first organic compound synthesized in the laboratory is :
- (A) Urea (B) Lactic acid (C) Vitamin A (D) Canesugar
76. Cyclo alkanes have the general formula :
- (A)  $C_n H_{2n+2}$  (B)  $C_n H_{2n}$  (C)  $C_n H_{2n-2}$  (D)  $C_n H_{2n-6}$
77. The C-C bond length in alkanes is :
- (A) 1.54 Å (B) 1.65 Å (C) 1.26 Å (D) 1.33 Å
78. Tetra ethyl lead is used as :
- (A) Fire extinguisher (B) Pain killer  
(C) Lubricating oil (D) Petroleum additive
79. Benzene can be directly converted to toluene by :
- (A) Wurtz reaction (B) Friedel Craft's reaction  
(C) Kolbe reaction (D) None of these

80. Acid catalyzed dehydration of alcohols takes place through :
- (A) carbocation intermediate                      (B) carbanion intermediate  
(C) carbene intermediate                         (D) free radical intermediate
81. Electrophiles are :
- (A) Negatively charged particles                (B) Lewis bases  
(C) Lewis acids                                      (D) May be Lewis acids or Lewis bases
82. In Lassaigne's test for nitrogen the blue colour is due to the formation of :
- (A) Ferric ferrocyanide                            (B) Potassium ferrocyanide  
(C) Sodium ferrocyanide                         (D) Sodium cyanide
83. Chlorine present in an organic compound can be estimated by :
- (A) Dumas method                                 (B) Victor Meyer's method  
(C) Carius method                                  (D) None of these
84. Lyman series of lines in hydrogen spectrum is formed during the transition of electrons from higher levels to :
- (A) First orbit                      (B) Second orbit                      (C) Third orbit                      (D) Fourth orbit
85. A metal used in storage battery is :
- (A) Sn                      (B) Cu                      (C) Ni                      (D) Pb
86.  $\text{CH}_3\text{-C}\equiv\text{CH}$  and  $\text{CH}_3\text{-CH}_2\text{-C}\equiv\text{CH}$  form a pair of :
- (A) Structural isomers                            (B) Tautomers  
(C) Homologues                                    (D) Optical isomers
87. The reaction used to prepare acetoacetic ester from ethyl acetate is known as :
- (A) Michael reaction                                (B) Claisen condensation  
(C) Cannizzaro reaction                            (D) Claisen-Schmidt reaction