

96/2014

Maximum : 100 marks

Time : 1 hour and 15 minutes

1. Removing bypass capacitor across the emitter-leg resistor in a CE amplifier causes :
(A) Increase in current gain (B) Decrease in current gain
(C) Increase in voltage gain (D) Decrease in voltage gain
2. The breakdown mechanism in a lightly doped p-n junction under reverse biased condition is called :
(A) Avalanche breakdown (B) Zener breakdown.
(C) Breakdown by tunnelling (D) High voltage breakdown
3. BIOS means :
(A) Binary input/output service (B) Basic input/output system
(C) Basic information of system (D) None of these
4. A network configuration in which each computer is attached to a central unit is called a _____ network.
(A) Star (B) Bus
(C) Hybrid (D) None of these
5. In an intrinsic semiconductor, the Fermi-level is :
(A) Closer to the valence band
(B) Midway between conduction and valence band
(C) Closer to the conduction band
(D) Within the valence band
6. Data is transmitted using light through a _____ cable.
(A) Twisted pair (B) Fiber-optic
(C) Coaxial (D) Microwave
7. An oscillator of the LC type that has a split capacitor in the circuit is :
(A) Hartley oscillator (B) Colpitts oscillator
(C) Weinbridge oscillator (D) R-C phase shift oscillator

8. After the magnetizing force has been removed, the ratio of the remaining magnetic flux to the saturated magnetic flux is called :
- (A) Saturation (B) Retentivity
(C) Hysterisis (D) Coercivity
9. The shape of warning sign is :
- (A) Triangular (B) Square
(C) Circular (D) Oblong
10. If a voltmeter marked in volts is used to measure a 3500 milli volt potential, what reading would it show?
- (A) 3.5 volts (B) 0.35 volt
(C) 35 volts (D) 350 volts
11. In a series resonant circuit at resonance, the circuit has :
- (A) low mutual inductance (B) high impedance
(C) low impedance (D) high mutual inductance
12. HDTV stands as :
- (A) High Definition Television (B) Half Definition Television
(C) Huge Definition Television (D) None of these
13. A circuit designed to increase the level of its input signal is called :
- (A) A receiver (B) A modulator
(C) An oscillator (D) An amplifier
14. In a Yagi-Uda 3 element directional antenna, the _____ is the longest radiating element.
- (A) Director (B) Driven element
(C) Reflector (D) None of these
15. The connecting leads in an IC chip are made of :
- (A) Aluminium (B) Silicon
(C) Calcium (D) None of these
16. A type of memory chip whose contents can be quickly changed by the computer at any time is called :
- (A) VDT (B) RUM
(C) ROM (D) RAM

17. The NAND gate output will be low if the two inputs are :
- (A) 0 0 (B) 0 1
(C) 1 0 (D) 1 1
18. A flip-flop has two outputs which are :
- (A) Always zero (B) Always one
(C) Always complementary (D) In one of the above states
19. Primary source of power for satellite is :
- (A) lead acid battery (B) nickel-cadmium battery
(C) solar cells (D) regulated power supply
20. Which of the following is the fastest logic?
- (A) TTL (B) ECL
(C) CMOS (D) LSI
21. How many flip flops are required to construct a decade counter?
- (A) 10 (B) 3
(C) 4 (D) 2
22. A universal logic gate is one, which can be used to generate any logic function. Which of the following is a universal logic gate?
- (A) OR (B) AND
(C) XOR (D) NAND
23. A full adder logic circuit will have :
- (A) Two inputs and one output (B) Three inputs and three outputs
(C) Two inputs and two outputs (D) Three inputs and two outputs
24. The 2's complement of the number 1101110 is :
- (A) 0010001 (B) 0010011
(C) 0010010 (D) None of these
25. A watt-hour meter measures :
- (A) Energy (B) Current
(C) Voltage (D) Power
26. The Schmitt trigger circuit behaves as a :
- (A) Triangular wave generator (B) Mono stable multi vibrator
(C) Bi-stable multi vibrator (D) Free running multi vibrator

27. Satellite communication works through :
- (A) Radar (B) Transponder
(C) Receptor (D) None of these
28. The fourth color band on a resistor mean :
- (A) The value of the resistor in ohms (B) The power rating in watts
(C) The resistance material (D) The resistance tolerance in percent
29. MPEG stands as :
- (A) Moving Pictures Expert Group (B) Most Pictures Expert Group
(C) Moving Pictures Enhance Group (D) None of these
30. In our TV system, which system is being followed?
- (A) PAL (B) NTSC
(C) SECAM (D) None of these
31. What is a coaxial cable?
- (A) Two wires side-by-side in a plastic ribbon
(B) Two wires side-by-side held apart by insulating rods
(C) Two wires twisted around each other in a spiral
(D) A center wire inside an insulating material which is covered by a metal sleeve or shield
32. Wien bridge oscillator can typically generate frequencies in the range of :
- (A) 1 KHz – 1 MHz (B) 1 MHz – 10 MHz
(C) 10 MHz – 100 MHz (D) 100 MHz – 150 MHz
33. In a full-wave rectifier without filter, the ripple factor is :
- (A) 1.21 (B) 0.482
(C) 1.79 (D) 2.05
34. The arrangement of the computers in a network is called the :
- (A) NOS (B) Topology
(C) Node layout (D) Protocol
35. Which of the following diodes has a negative-resistance region?
- (A) Schottky (B) Varactor
(C) Power (D) Tunnel

36. N-type silicon is obtained by :
- (A) Doping with tetravalent element
 - (B) Element Doping with trivalent element
 - (C) Doping with pentavalent
 - (D) Doping with a mixture of trivalent and tetravalent
37. D-MOSFET can be operated in _____ mode.
- (A) saturation
 - (B) depletion
 - (C) enhancement
 - (D) depletion and enhancement
38. What is the phase difference between input and output signal in a CE amplifier?
- (A) 0°
 - (B) 45°
 - (C) 180°
 - (D) 90°
39. The voltage gain of CC amplifier is :
- (A) Less than 1
 - (B) Greater than 1
 - (C) Equal to 1
 - (D) None of these
40. Which of the following statements is true?
- (A) FET and BJT, both are unipolar
 - (B) FET and BJT, both are bipolar
 - (C) FET is bipolar and BJT is unipolar
 - (D) FET is unipolar and BJT is bipolar
41. Which of the following amplifiers is known as an emitter follower?
- (A) CE amplifier
 - (B) CC amplifier
 - (C) CB amplifier
 - (D) Cascade amplifier
42. Power is defined as :
- (A) The rate at which current flows in a circuit
 - (B) The rate at which energy is radiated or dissipated
 - (C) The accumulation of energy over time
 - (D) The amount of heat generated in a circuit
43. Three equal resistance of magnitude 5 Ohm each are connected in delta. The resistance between any two pair of terminals of the delta will be :
- (A) 5 Ohm
 - (B) $5/3$ Ohm
 - (C) $10/3$ Ohm
 - (D) $3/5$ Ohm
44. The other name for beta of BJT is :
- (A) Current amplification factor
 - (B) Voltage amplification factor
 - (C) Power amplification factor
 - (D) None of these

45. One coulomb-per second is equal to one :
 (A) Watt (B) Joule
 (C) Volt (D) Ampere
46. The reverse - saturation current of a silicon diode :
 (A) Doubles for every 10°C increase in temperature
 (B) Does not change with temperature
 (C) Halves for every 1°C decrease in temperature
 (D) Increases by 1.5 times for every 2°C increment in temperature.
47. In class - A amplifier, the output current flows for :
 (A) A part of the cycle of the input signal
 (B) The full cycle of the input signal
 (C) Half the cycle of the input signal
 (D) 3/4th of the cycle of the input signal
48. For silicon the forbidden gap is :
 (A) 1.1 ev (B) 0.25 ev
 (C) 0.5ev (D) 0.7 ev
49. The modulation used in cellular communication is :
 (A) Amplitude modulation (B) Pulse code modulation
 (C) Digital modulation (D) Narrow band frequency modulation
50. Manganin is an alloy of :
 (A) Copper, manganese and nickel (B) Copper and manganese
 (C) Manganese and nickel (D) Manganese, aluminium and nickel
51. In Quadrature Amplitude Modulation, (QAM), the carrier is modulated by :
 (A) Amplitude (B) Phase
 (C) Frequency (D) Both (A) and (B)
52. What are the steps followed to achieve Pulse Code Modulation?
 (A) Sampling, quantizing, modulation (B) Detecting, sampling, quantizing
 (C) Sampling, quantizing, coding (D) Coding, modulating, packetizing
53. An ideal power supply is characterized by :
 (A) Very large output resistance (B) Very small output resistance
 (C) Zero internal resistance (D) Infinite internal resistance

54. What is the "power factor"?
- (A) Ratio of true power to apparent power
 - (B) Peak power times 0.707
 - (C) Sin of the phase difference between E and I
 - (D) None of the above
55. A house served by a 220 V supply light, is protected by a 9-Ampere fuse. The maximum number of 60W bulbs in parallel that can be turned on is :
- (A) 11
 - (B) 33
 - (C) 22
 - (D) 44
56. Holes are the minority carriers in which type of semiconductor?
- (A) Extrinsic
 - (B) Intrinsic
 - (C) N-type
 - (D) None of the above
57. Doubling the number of turns of wire in an inductor :
- (A) Reduces the value of inductance by one-half
 - (B) Multiplies the value of inductance by two
 - (C) Reduces the value of inductance by one-fourth
 - (D) Multiplies the value of inductance by four
58. Which bus is bidirectional?
- (A) Data bus
 - (B) Control bus
 - (C) Address bus
 - (D) Multiplexed bus
59. If the input to a comparator is a sine wave, the output is a :
- (A) Ramp voltage
 - (B) Rectangular wave
 - (C) Sine wave
 - (D) Sawtooth wave
60. Convert the binary number 1011010 to hexadecimal :
- (A) 5A
 - (B) 5F
 - (C) 5B
 - (D) None of the above
61. A half-cycle average voltage of 12 V is equal to what rms voltage?
- (A) 13.33 V
 - (B) 8.48 V
 - (C) 18.84 V
 - (D) 7.64 V